

CMB Schankanlagen GmbH - Kupplung NC 0.265"



Modell: Kupplung NC 0.265"
Zertifikat: SK 168.001

Technische details:

- Steckkupplung
- Anschluss: 0.265" Nippel
- Körper schwarz = Liquid
- Körper Grau = Gas
- Stößel in Kunststoff oder Edelstahl
- max. Betriebstemperatur 80°C

Bezeichnung	Artikelnummer
Kupplung NC .265" sw	40 27-1102-99
Kupplung NC .265" grau	40 27-1102-77

CMB Schankanlagen GmbH

Römerstraße 17 - 47809 Krefeld

info@cmb-schankanlagen.de

www.cmb-schankanlagen.de

CMB Schankanlagen GmbH - Kupplung NC 0.265"



Model: Disconnect NC 0.265"
Certificate: SK 168.001

Technical details:

- Disconnect Ball Lock
- Connector: 0.265" barb
- Body Black = Liquid
- Body Grey = Gas
- Stem disconnect plastic or st. steel
- Operating temperature max. 80°C

Item Name	Part Number
Kupplung NC .265" sw	40 27-1102-99
Kupplung NC .265" grey	40 27-1102-77

CMB Schankanlagen GmbH

Römerstraße 17 - 47809 Krefeld
info@cmb-schankanlagen.de
www.cmb-schankanlagen.de

1

2

3

4

A


B

C

D

E

F



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
SURFACE FINISH:
TOLERANCES: DIN 2768
LINEAR: f
ANGULAR: f

FINISH:

DEBUR AND
BREAK SHARP
EDGES

DO NOT SCALE DRAWING

REVISION



CMB Schankanlagen GmbH

TITLE:

Kupplung NC 265

DWG NO.

40 27-1102-99

A4

MATERIAL:

XXX

WEIGHT: 62.63

SCALE: 1:1

E:\SW_Daten\CMB_NC\nc-kupplung